

# Adhesive Remover

S33650

*Easily removes adhesive from a wide variety of material surfaces. A water-soluble and non-flammable formula.*



## Where To Use

Detail Shops

Poly Banners

Residues on Painted

Aluminum

Glass Polycarbonates

Removing Window Tinting

Vinyl Auto Paint

Removing Decals

Plexiglass

## Directions

Once the vinyl or decal graphics have been removed with heat, use the spray on the remaining adhesive. Allow to stand on the surface for 30 seconds - more difficult jobs may require more standing time. Use a dry cloth or squeegee to wipe away the residue, then rinse thoroughly with water. Paint must be completely cured before application. Use only on oil-based enamel surfaces. This spray is not recommended for use on latex paint backgrounds.

## Technical Specifications

CAN SIZE: .. 20 oz.

NET WEIGHT: ..... 18 oz.

ODOR: ..... Citrus

USDA RATING: .....N/A

TYPE: ..... Aerosol

PROPELLANT: .....Hydrocarbon

pH: ..... 9.4

SPRAY PATTERN: ...Foamy Stream

COLOR: ..... White Foam

FLAMMABILITY: ...None - per CPSC Flame

Ext. Test in 16 CFR 1500.45.



# Ant & Roach Killer

S3373

*This pleasantly scented insecticide combines Diazinon and Pyrethrins to kill a wide variety of crawling insects such as cockroaches, ants, spiders, ticks, fleas, earwigs, silverfish and others. Excellent flushing action, fast knockdown and a residual spray that keeps on killing.*

*USDA classified.*



## Where To Use

For commercial and industrial use. This insecticide will control pests for as long as two weeks. Use in and around:

Schools	Picnic Areas	Commercial Buildings
Attics	Apartments	Garbage Areas
Offices	Homes	Campgrounds
Hotels	Nursing Homes	Food Processing Plants

## Directions

Follow all precautions on back label of can. This product may be used in food areas of food handling establishments as a spot and/or crack and crevice treatment. Simply spray the area where crawling insects are found or may hide. Use outside around doors, screens and windows where flying insects may gather.

## Technical Specifications

CAN SIZE: ..... 20 oz.	NET WEIGHT: ..... 16 oz.
ODOR: ..... Cherry Blossom	USDA RATING: ..... F2
TYPE: ..... Aerosol	PROPELLANT: ..... Hydrocarbon
pH: ..... N/A	SPRAY PATTERN: ... Med. mist, solid cone
COLOR: ..... Milky White	FLAMMABILITY: ... None - per CPSC Flame
	Ext. Test in 40 CFR 155.10



201 Boston Turnpike, Bolton, CT 06043-7203 800-227-5536 • 860-646-0172 • FAX 860-645-6070

[www.simonizusa.com](http://www.simonizusa.com)

# Apple Orchard (dry air & fabric deodorizer)

*A truly extraordinary concept in aerosol technology. This air freshener is specially formulated to eliminate offensive odors in the air without wet fallout. As a dry product, it can be used safely on surfaces to fight odors trapped in all kind of fabrics without staining. Pen-*



*etrates fabrics, reaches trapped odors and eliminates them. Will not leave a residue or stain the fabric. Neutralizes stale tobacco odors in the air or fabrics.*

## Where To Use

Formulated to eliminate offensive odors in:

Offices	Fabrics	Hotel Rooms	Garbage Areas
Schools	Carpets	Restrooms	
Cars	Draperies	Upholstery	

## Directions

Just spray on.

## Technical Specifications

CAN SIZE: .. 20 oz.	NET WEIGHT: ..... 19 oz.
ODOR: ..... Green Apple	USDA RATING: ..... C1
TYPE: ..... Aerosol	PROPELLANT: ..... Hydrocarbon
pH: ..... N/A	SPRAY PATTERN: ... Misty Solid Cone
COLOR: ..... Clear	FLAMMABILITY: ... None - per CPSC Flame
	Ext. Test in 16 CFR 1500.45.



# Baseboard Stripper Gel

S3343

*A heavy-duty cleaner and stripper for build-up on baseboards and in corners. Clinging gel provides extra penetration to lift off heaviest soils without damaging surface or finish. Inverted valve makes for easy application.*



## Where To Use

Removes wax and soils on baseboards in:

Offices	Institutions	Contract Cleaners
Halls	Bathrooms	Public Areas
Kitchens	Nursing Homes	

## Directions

Spray on and wipe off.

## Technical Specifications

CAN SIZE: .. 20 oz.	NET WEIGHT: ..... 19 oz.
ODOR: ..... Pine	USDA RATING: ..... C1
TYPE: ..... Aerosol	PROPELLANT: ..... Hydrocarbon
pH: ..... 11.5	SPRAY PATTERN: .. Misty Solid Cone
COLOR: ..... Pale Beige Opaque	FLAMMABILITY: ... None - per CPSC
	Flame Ext. Test in 16 CFR 1500.45.



201 Boston Turnpike, Bolton, CT 06043-7203 800-227-5536 • 860-646-0172 • FAX 860-645-6070

[www.simonizusa.com](http://www.simonizusa.com)

# Bee, Wasp & Hornet Killer

S3369

*Highly effective, instant knockdown formula that will reach nests up to 20 feet away. Kills with residual action, all wasps and hornets returning to the nest. Electrically nonconducting. Dielectric breakdown voltage of 47,300.*



## Where To Use

Designed for outdoor use, safely controls bees, wasps and hornets in or on:

Walls	Chimneys	Telephone Poles
Trees	Bushes	Outdoor Lighting
Decks	Schools	Electric Poles
Farms	Garages	

## Directions

Follow all precautions on back label of can. For best results, spray in early morning or late evening when insect activity is minimal. Stand a safe distance from nest and not directly underneath. Hold can upright and point spray opening toward nest with wind at your back. Spray until nest is thoroughly saturated to kill the entire nest population. Residual action will kill bees, wasps and hornets returning to the nest. Wait at least 24 hours before removing the nest.

## Technical Specifications

CAN SIZE: .. 20 oz.	NET WEIGHT: ..... 14 oz.
ODOR: ..... Petroleum	USDA RATING: .....F2
TYPE: ..... Aerosol	PROPELLANT: ..... Carbon Dioxide
pH: ..... N/A	SPRAY PATTERN: ...Jet Stream, Heavy, Wet
COLOR: ..... Clear	FLAMMABILITY: ...None - per CPSC Flame
	Ext. Test in 40 CFR 156.10



201 Boston Turnpike, Bolton, CT 06043-7203 800-227-5536 • 860-646-0172 • FAX 860-645-6070  
212

[www.simonizusa.com](http://www.simonizusa.com)

# Carpet & Upholstery Cleaner

S3363

*Professional formula for cleaning all types of carpets, furniture and car interiors. Safe, effective and easy to use.*



## Where To Use

Hotels	Schools	Detail Shops
Homes	Motels	Restaurants
Office	Car Washes	

## Directions

Before applying, vacuum area to be cleaned. Holding the can in the upright position, spray onto surface. It is recommended that only a small area be sprayed at a time. Brush the area with an upholstery brush, then wipe with a clean, dry towel.

## Technical Specifications

CAN SIZE: .. 20 oz.	NET WEIGHT: ..... 19 oz.
ODOR: ..... Floral	USDA RATING: ..... N/A
TYPE: ..... Aerosol	PROPELLANT: ..... Hydrocarbon
pH: ..... N/A	SPRAY PATTERN: ... Misty Solid Cone
COLOR: ..... Pale Yellow	FLAMMABILITY: ... None - per CPSC Flame
	Ext. Test in 16 CFR 1500.45.



201 Boston Turnpike, Bolton, CT 06043-7203 800-227-5536 • 860-646-0172 • FAX 860-645-6070

[www.simonizusa.com](http://www.simonizusa.com)

# Chewing Gum Remover

S3342

*Easily removes chewing gum, candle wax, putty and other gummy substances from surfaces. Makes the messy job quick and neat by freezing substance to approximately -40°F so it will crack off fast. Removal is easy and no staining or chemical residue is left behind. This*



*product contains no chemicals that will reduce the ozone in the upper atmosphere.*

## Where To Use

Use with or without the extender tube on:

Chairs Carpet Furniture Draperies  
Floors Clothes Upholstery

## Directions

Spray on and chip off. Care should be exercised when using this product as frostbite may occur if sprayed on skin.

## Technical Specifications

CAN SIZE: .. 20 oz.	NET WEIGHT: ..... 7 oz.
ODOR: ..... Slight Ethereal	USDA RATING: ..... N/A
TYPE: ..... Aerosol	PROPELLANT: ..... Propellant Blend
pH: ..... N/A	SPRAY PATTERN: ... Forceful
COLOR: ..... Colorless	FLAMMABILITY: ... Flammable - per CPSC Flame Ext. Test in 16 CFR 1500.45.



201 Boston Turnpike, Bolton, CT 06043-7203 800-227-5536 • 860-646-0172 • FAX 860-645-6070  
214

[www.simonizusa.com](http://www.simonizusa.com)

# Citrus All-Purpose Cleaner

S3376

*All-purpose d-Limonene based cleaner and degreaser. Cleans and deodorizes in one easy step. Removes dirty hand prints from walls and doors, scuff marks from floors, bathtub rings, soot, grease, smoke film, oil, light carbon, dust, lipstick and crayon marks and deodorizes as it cleans.*



## Where To Use

Bathrooms	Detail Shops	Commercial Buildings
Schools	Kitchens	Housekeeping
Offices	Homes	Nursing Homes
Hotels	Apartments	Day Car Facilities

## Directions

Hold can upright. Point valve opening toward area to be cleaned. Press button and spray a small area until wet. Let stand for several seconds and wipe off with a clean dry cloth. When using on plastic seat covers, leather or plastic tile, rinse with a clean damp cloth.

## Technical Specifications

CAN SIZE: .. 20 oz.	NET WEIGHT: ..... 19 oz.
ODOR: ..... Orange Citrus	USDA RATING: ..... C-1
TYPE: ..... Aerosol	PROPELLANT: ..... Hydrocarbon
pH: ..... 12.0	SPRAY PATTERN: ... Semi-stable Foam
COLOR: ..... White	FLAMMABILITY: ... None - per CPSC Flame
	Ext. Test in 16 CFR 1500.45.



201 Boston Turnpike, Bolton, CT 06043-7203 800-227-5536 • 860-646-0172 • FAX 860-645-6070

[www.simonizusa.com](http://www.simonizusa.com)



# Disinfectant Spray (for health care use) S3324

*A phenol-based, lemon-scented product for disinfecting after cleaning. It disinfects HIV-1 (AIDS Virus), Polio Virus Types 1 and 2, Influenza A2/Hong Kong Virus and Herpes Simplex Virus Types 1 and 2 on inanimate environmental surfaces. It is also Tuberculocidal, bactericidal, staphylocidal, fungicidal, pseudomonicidal, air deodorizer and is effective in controlling mold and mildew on hard, nonporous surfaces.*



## Where To Use

This product disinfects and deodorizes as you spray. This EPA registered product is great for use in/on:

Schools	Telephones	Locker Rooms	Athletic Equipment
Kitchens	Bathrooms	Garbage Cans	Day Care Centers
Hospitals	Handles	Toilet Seats	Shower Curtains
Offices			

## Directions

Just spray on.

## Technical Specifications

CAN SIZE: .. 20 oz.	NET WEIGHT: ..... 15.5 oz.
ODOR: ..... Lemon Alcohol	USDA RATING: ..... C1
TYPE: ..... Aerosol	PROPELLANT: ..... Hydrocarbon
pH: ..... 10.0	SPRAY PATTERN: ... Misty Solid Cone
COLOR: ..... Clear	FLAMMABILITY: ... Flammable - as described in 40 CFR 156.10



201 Boston Turnpike, Bolton, CT 06043-7203 800-227-5536 • 860-646-0172 • FAX 860-645-6070  
216

[www.simonizusa.com](http://www.simonizusa.com)

*Improves dust pick-up on mops and clothes by converting dust into heavy lint particles that shake off easily into a dustpan. Keeps dust from becoming airborne and spreading. Reduces contamination of other surfaces. Leaves no oily residue and extends the life of the floor finish.*



## Where To Use

Spray on dust mop or cloth to control dust from scattering while you are cleaning:

Floors	Concrete	Vinyl Tile	Linoleum Floors
Wood	Formica	Auto Interiors	Window Frames
Plastics	Furniture	Venetian Blinds	Composition Floors

## Directions

Please adhere to the following directions carefully.

On new or freshly laundered mops, 2 or 3 applications may be necessary for complete penetration.

Mop Preparation - Hold can upright 6 to 8 inches from mop head. Spray mop surface for 10 to 15 seconds for use on unsealed wood or concrete floors. Spray 5 to 10 seconds for sealed wood or finished asphalt tile, rubber tile, vinyl tile or composition floors.

Dust Clothes - Hold can upright 6 to 8 inches from cloth. Spray cloth surface for 5 to 10 seconds.

## Technical Specifications

CAN SIZE: .. 20 oz.	NET WEIGHT: ..... 14 oz.
ODOR: ..... Lemon	USDA RATING: ..... N/A
TYPE: ..... Aerosol	PROPELLANT: ..... Hydrocarbon
pH: ..... N/A	SPRAY PATTERN: ... Misty Solid Cone
COLOR: ..... Clear	FLAMMABILITY: ... Flammable - per CPSC Flame Ext. Test in 16 CFR 1500.45.



# Fabric Protectant

S3366

*Industrial strength fabric protection which is easily and economically applied in a convenient aerosol can. It restores rain wear repelling and protects against dirt, grease, stains, water and other liquids. It will no change the feel, look or breathability of the fabric.*



## Where To Use

Hotels	Homes	Car Washes
Motels	Schools	Institutions
Offices	Detail Shops	Restaurants

Note: Not for use on suede, leather, vinyl, clear plastics, fiberglass or carpeting.

## Directions

Vacuum or clean the item to be protected prior to application. For complete protection, spray the entire exposed area. Do not saturate the fabric.

## Technical Specifications

CAN SIZE: .. 20 oz.	NET WEIGHT: ..... 13.5 oz.
ODOR: ..... Chlorinated	USDA RATING: ..... N/A
TYPE: ..... Aerosol	PROPELLANT: ..... Hydrocarbon
pH: ..... N/A	SPRAY PATTERN: ... Misty Solid Cone
COLOR: ..... Light Yellow	FLAMMABILITY: ... Flammable - as described in 40 CFR 156.10



201 Boston Turnpike, Bolton, CT 06043-7203 800-227-5536 • 860-646-0172 • FAX 860-645-6070  
218

[www.simonizusa.com](http://www.simonizusa.com)

# Flying & Crawling Insect Killer

S3371

*In the air and on the ground, this easy-to-use, water-based product controls over 15 types of indoor and outdoor pests. EPA registered and USDA classified.*



## Where To Use

For use in nonfood areas of commercial, industrial and institutional buildings and in households to kill common pest like:

Flies	Spiders	Mosquitoes	Brown Dog Ticks
Fleas	Crickets	Centipedes	Carpet Beetles
Ants	Small Moths	Cockroaches	

## Directions

Follow all precautions on back label of can. For flying insects, close all doors and windows and direct the spray upward into the center of the room with a slow sweeping motion. Hold spray for 5-10 seconds for an average size room. Keep the room closed for 15 minutes after spraying. Ventilate the room thoroughly before re-entry. Sweep up and discard fallen insects. For crawling insects, direct spray on as many of the insects as possible as well as any parts of the room where it is suspected the insects may be harboring. Special attention should be paid to cracks and crevices, under stoves, refrigerators, behind counters etc. See container for more specific directions on other insects.

## Technical Specifications

CAN SIZE: .20 oz.	NET WEIGHT: .....15 oz.
ODOR: ..... Floral	USDA RATING: .....F2
TYPE: ..... Aerosol	PROPELLANT: .....Hydrocarbon
pH: .....7.5	SPRAY PATTERN: ...Fine Fogging Mist
COLOR: ..... White Emulsion	FLAMMABILITY: ...None-per 40 CFR 156.10



201 Boston Turnpike, Bolton, CT 06043-7203 800-227-5536 • 860-646-0172 • FAX 860-645-6070

[www.simonizusa.com](http://www.simonizusa.com)

# Foam Disinfectant Cleaner

S3322

*A foaming all-purpose cleaner that cleans, disinfects and deodorizes in one easy step. Cleans and disinfects without scouring or scratching surfaces. Kills most germs, is Bactericidal, Staphylocidal, Pseudomonicidal and Virucidal. Will disinfect Influenza A2/Japan Virus and Herpes Simple Virus Types 1 and 2 on hard, inanimate nonporous surfaces. Kills HIV Virus.*



## Where To Use

Removes wax and soils on baseboards in:

Schools	Hospitals	Commercial Establishments
Hotels	Restaurants	Medical Facilities
Clinics	Institutions	Nursing Homes

## Directions

Spray on and wipe off.

## Technical Specifications

CAN SIZE: . 20 oz.	NET WEIGHT: ..... 19 oz.
ODOR: ..... Floral	USDA RATING: ..... C1
TYPE: ..... Aerosol	PROPELLANT: ..... Hydrocarbon
pH: ..... 12.0	SPRAY PATTERN: ... Solid Cone
COLOR: ..... White Foam	FLAMMABILITY: ... None-per 40 CFR 156.10



201 Boston Turnpike, Bolton, CT 06043-7203 800-227-5536 • 860-646-0172 • FAX 860-645-6070  
220

[www.simonizusa.com](http://www.simonizusa.com)

*An emulsion polish formulation that dusts and cleans in one easy application. A rich blend of silicones, cleaners and lemon oil that cleans and polishes wide variety of surfaces leaving behind a pleasant lemon fragrance and hard, dust-free shine that lasts. Removes finger marks, smudges, grease marks and stains in one step.*



### Where To Use

Plastic	Table Tops	Stainless Steel	Furniture (light & dark)
Brass	Formica	Leather	Enameled Surfaces
Vinyl	Marble	Chrome	Metal

### Directions

Spray directly onto surface to be cleaned or on clean cloth for hard to reach areas. Avoid overspray on flooring as surface may become slippery.

### Technical Specifications

CAN SIZE: .. 20 oz.	NET WEIGHT: ..... 19 oz.
ODOR: ..... Lemon	USDA RATING: .... N/A
TYPE: ..... Aerosol	PROPELLANT: ..... Hydrocarbon
pH: ..... 10.5	SPRAY PATTERN: Hollow Cone
COLOR: ..... White Emulsion	FLAMMABILITY: Non-Flammable - per CPSC Flame Ext. Test in 16 CFR 1500.45.



# Glass Cleaner

S3321

*For cleaning and polishing glass, mirrors and other nonporous requirements. This easy-to-use, fast-acting product uses a clinging foam to break up soils and hold them, even on vertical surfaces. No dripping, no running and no streaking. With an exclusive formulation*



*using denatured alcohol and no ammonia, this product cleans thoroughly, dries quickly and requires no rinsing.*

## Where To Use

Vinyl	Mirrors	Porcelain	Polycarbonates	Fixtures
Tile	Windows	Fiberglass	Windshields	Acrylics
Chrome	Plastics	Laminates	Appliances	

## Directions

Spray on and wipe off.

## Technical Specifications

CAN SIZE: .. 20 oz.	NET WEIGHT: ..... 19 oz.
ODOR: ..... Floral	USDA RATING: ..... C1
TYPE: ..... Aerosol	PROPELLANT: ..... Hydrocarbon
pH: ..... 10.0	SPRAY PATTERN: ...Hollow Cone
COLOR: ..... White Foam	FLAMMABILITY: ...Non-Flammable - per CPSC Flame Ext. Test in 16 CFR 1500.45.



201 Boston Turnpike, Bolton, CT 06043-7203 800-227-5536 • 860-646-0172 • FAX 860-645-6070  
222

[www.simonizusa.com](http://www.simonizusa.com)

# Graffiti Mark & Stain Remover

S3346

*Specially designed to remove vandal marks from different types of surfaces. A special blend of solvents to remove crayon, ink, spray paint and lipstick. It's also ideal for removing tape marks, scuff marks and waxes.*



## Where To Use

To remove marks on:

Steel	Marble	Aluminum	Many other Surfaces
Brick	Chrome	Porcelain	Formica
Tile	Brass	Glass	Enamel

## Directions

Spray directly on marked or stained surfaces, let stand, then wipe or rinse off. For difficult marks, spray again and use a stiff brush to agitate the area. Care should be taken when using on synthetic surfaces such as rubber, asphalt tile and plastics. Try first on small hidden area.

## Technical Specifications

CAN SIZE: .. 20 oz.	NET WEIGHT: ..... 18 oz.
ODOR: ..... Chlorinated	USDA RATING: ..... C1
TYPE: ..... Aerosol	PROPELLANT: ..... Hydrocarbon
pH: ..... N/A	SPRAY PATTERN: ... Wet Forceful Spray
COLOR: ..... Clear	FLAMMABILITY: ... Flammable - per CPSC Flame Ext. Test in 16 CFR 1500.45.



201 Boston Turnpike, Bolton, CT 06043-7203 800-227-5536 • 860-646-0172 • FAX 860-645-6070

[www.simonizusa.com](http://www.simonizusa.com)



# Grill & Oven Cleaner

S3341

*An institutional strength, high-foaming grill & oven cleaner. The heavy foam quickly cuts through grease, carbon and baked-on food. Effective on hot or cold surfaces.*



## Where To Use

Grills Rotisseries  
Ovens Drip Pans  
Hoods Stainless Steel

## Directions

Spray on and wipe off.

## Technical Specifications

CAN SIZE: .. 20 oz.	NET WEIGHT: ..... 18 oz.
ODOR: ..... Odorless	USDA RATING: ..... A8
TYPE: ..... Aerosol Foam	PROPELLANT: .....Liquified Petroleum Gas
pH: ..... 10.0	SPRAY PATTERN: ...Foam
COLOR: ..... White	FLAMMABILITY: ...None

Aerosols



201 Boston Turnpike, Bolton, CT 06043-7203 800-227-5536 • 860-646-0172 • FAX 860-645-6070  
224

[www.simonizusa.com](http://www.simonizusa.com)

# Heavy Duty Orange Power Cleaner Degreaser s3381

*For institutional, commercial and industrial uses. This heavy duty cleaner and degreaser works on all types of applications. Its high volume spray loosens dirt, grease and soil. Just spray and wipe clean. May be used on ink and printing equipment. Excellent on oil stains, tar, adhesive marks, crayon, lipstick and fresh paint.*



## Where To Use

Fork Lifts	Diesel Engines	Air compressors
Alternators	Bearings	Electrical Components
Chains	Gears	Heavy Duty Equipment

## Directions

Spray surface with heavy foam. Allow 1-2 minute dwell time for foam to loosen soil. For heavy dirt or grease allow for longer dwell time. Wipe off with damp cloth or rinse with strong stream of water.

## Technical Specifications

CAN SIZE: .. 20 oz.	NET WEIGHT: .....20 oz.
ODOR: ..... Citrus	USDA RATING: .....N/A
TYPE: ..... Aerosol	PROPELLANT: ..... Hydrocarbon
pH: ..... N/A	SPRAY PATTERN: ... White Foam
COLOR: ..... Clear	FLAMMABILITY: ... None - per CPSC Flame
	Ext. Test in 16 CFR 1500.45.



201 Boston Turnpike, Bolton, CT 06043-7203 800-227-5536 • 860-646-0172 • FAX 860-645-6070

[www.simonizusa.com](http://www.simonizusa.com)

# Penetrating Oil

S3377

*This heavy duty penetrant cleans, loosens and protects faster than traditional products. Designed for institutional, commercial and industrial use, this moisture displacer reaches deep down to loosen nuts and bolts where corrosion and rust have collected. Saves production, maintenance and repair time by protecting equipment with its rust inhibitor. Stops corrosion on battery terminals.*



## Where To Use

Refrigeration Equipment Locks  
Automobiles Hinges  
Moving Parts

## Directions

Remove cap and point valve opening toward surface to be sprayed. Hold can 4-8 inches away, push button and spray. Apply generously to surface to be treated. Repeat application when needed.

## Technical Specifications

CAN SIZE: .. 20 oz.	NET WEIGHT: ..... 20 oz.
ODOR: ..... Hydrocarbon	USDA RATING: .....N/A
TYPE: ..... Aerosol	PROPELLANT: ..... Carbon Dioxide
pH: ..... N/A	SPRAY PATTERN: ...Jet Stream
COLOR: ..... Clear, Light Brown	FLAMMABILITY: ...None - per CPSC Flame Ext. Test in 16 CFR 1500.45.

Aerosols



201 Boston Turnpike, Bolton, CT 06043-7203 800-227-5536 • 860-646-0172 • FAX 860-645-6070  
226

[www.simonizusa.com](http://www.simonizusa.com)

# Rain Forest Air Freshener & Deodorizer

S3349

*This V.O.C. complaint air freshener attacks airborne odors instantly. It also fights odors trapped in fabrics such as carpeting, upholstery and draperies and maintains a fresh smell throughout the room. Removes odors caused by cigars, pets, garbage, etc.*



## Where To Use

Hotels	Restaurants	Detail Shops
Motels	Schools	Car Washes
Offices	Basements	Institutions

## Directions

To deodorize in the air, spray upward in a wide sweeping motion to minimize fallout. Use whenever odors occur and as often as needed to maintain freshness.

## Technical Specifications

CAN SIZE: .. 20 oz.	NET WEIGHT: .....N/A.
ODOR: ..... Floral	USDA RATING: .....N/A
TYPE: ..... Aerosol	PROPELLANT: ..... Hydrocarbon
pH: ..... N/A	SPRAY PATTERN: ... "Spray-Thru Cap"
COLOR: ..... N/A	FLAMMABILITY: ... Non-Flammable - per CPSC Flame Ext. Test in 16 CFR 1500.45.



201 Boston Turnpike, Bolton, CT 06043-7203 800-227-5536 • 860-646-0172 • FAX 860-645-6070

[www.simonizusa.com](http://www.simonizusa.com)

*This spray-on lubricant and release agent stops sticking and retards corrosion. The all purpose silicone eliminates annoying squeaks in hinges, latches, springs, etc. It protects battery terminals, tools, aluminum windows and doors. It leaves no greasy or oily film and is not affected by water or oil and its heat stable formula will not freeze or melt. An excellent release agent for plastic injection and compression moldings.*



### Where To Use

- |                       |                  |                  |         |
|-----------------------|------------------|------------------|---------|
| Convertors & Printers | Plastic Moldings | Heat Sealers     | Metal   |
| Rubber Mountings      | Cutting Tables   | Screens          | Fabrics |
| Sewing Machine Beds   |                  | Painted Surfaces | Drawers |
|                       | Glass            |                  |         |
| Weather Stripping     | Automotive Belts | Windows          | Zippers |

### Directions

Thoroughly clean the surface to be sprayed. Spray a light film with a sweep motion. When used on sticking surfaces work object back and forth. Spray again if necessary.

### Technical Specifications

CAN SIZE: .20 oz.	NET WEIGHT: ..... 12 oz.
ODOR: ..... Faint Petroleum	USDA RATING: ..... N/A
TYPE: ..... Aerosol	PROPELLANT: ..... Hydrocarbon
pH: ..... N/A	SPRAY PATTERN: ... Fine Mist
COLOR: ..... Clear	FLAMMABILITY: ... Extremely flammable - per CPSC Flame Ext. Test in 16 CFR 1500.45.



# Solvent Cleaner & Degreaser

S3379

*For institutional, commercial and industrial uses, this heavy duty cleaner and degreaser works on all types of applications. Its high volume spray loosens dirt, grease and soil. Just spray and wipe clean. May be used on ink and printing equipment. Excellent on oil stains, tar, adhesive marks, crayon, lipstick and fresh paint. Will not short motors, generators or other electrical equipment.*



## Where To Use

Heavy Duty Equipment	Diesel Engines	Bearings
Air Compressors	Alternators	Chains
Electrical Components	Fork Trucks	Gears

## Directions

Spray surface with a heavy wet spray. Use force of spray to loosen soil. Wipe clean.

## Technical Specifications

CAN SIZE: .. 20 oz.	NET WEIGHT: .....20 oz.
ODOR: ..... Chlorinated	USDA RATING: .....N/A
TYPE: ..... Aerosol	PROPELLANT: ..... Carbon Dioxide
pH: ..... N/A	SPRAY PATTERN: ... Jet Stream
COLOR: ..... Clear	FLAMMABILITY: ... None - per CPSC Flame
	Ext. Test in 16 CFR 1500.45.



201 Boston Turnpike, Bolton, CT 06043-7203 800-227-5536 • 860-646-0172 • FAX 860-645-6070

[www.simonizusa.com](http://www.simonizusa.com)

# Spot Remover

S3364

*This product is a powerful carpet stain and spot remover. It contains strong cleaners to remove stains caused by dirt, ink, grease, oil, mud, ketchup, urine, vomit, coffee, tea, alcoholic beverages, soft drinks and blood. Spot Remover's special spray valve allows for upside*



*down spraying for accurate application. Leaves no residue and does not contain any solvents which might soften carpet backing.*

## Where To Use

Hotels	Schools	Institutions
Motels	Home	Detail Shops
Offices	Car Washes	Restaurants

## Directions

Vacuum area prior to applying Spot Remover. Shake well. Remove protective cap spray in the upside down position. Point spray tip toward the area to be cleaned. Hold can approximately at arms length away from spot. Apply in short bursts until spot is well saturated. Blot dry with a clean cloth. If additional applications are required for excessive deposits of grease, oil or ink, carpet should be dry before reapplying

## Technical Specifications

CAN SIZE: .. 20 oz.	NET WEIGHT: ..... 18 oz.
ODOR: ..... Solvent	USDA RATING: .....N/A
TYPE: ..... Aerosol	PROPELLANT: .....Hydrocarbon
pH: ..... N/A	SPRAY PATTERN: ...Stream
COLOR: ..... Clear	FLAMMABILITY: ...None - per CPSC Flame
	Ext. Test in 16 CFR 1500.45.

Aerosols



201 Boston Turnpike, Bolton, CT 06043-7203 800-227-5536 • 860-646-0172 • FAX 860-645-6070  
230

[www.simonizusa.com](http://www.simonizusa.com)

*This product has been designed and specially formulated to put a high gloss finishing touch on detail jobs.*



## Where To Use

Detail Shops	Used Car Dealers	Air Conditioning Vents
Dish Boards	New Car Dealers	Full Service Car Washes
Door Jambs	Mud Flaps	Body Molding
Vinyl	Tires	

## Directions

Be sure area to be treated has been cleaned and allowed to dry. Spray directly onto surface. Let dry for a high gloss shine or buff with a cloth for a softer sheen.

## Technical Specifications

CAN SIZE: .. 20 oz.	NET WEIGHT: ..... 11 oz.
ODOR: ..... Petro Deistillate	USDA RATING: ..... N/A
TYPE: ..... Aerosol	PROPELLANT: ..... Hydrocarbon
pH: ..... N/A	SPRAY PATTERN: ... Mist
COLOR: ..... Clear	FLAMMABILITY: ... Flammable - per CPSC Flame Ext. Test in 16 CFR 1500.45.





# Stainless Steel Polish & Cleaner

S3336

*A blend of cleaning solvents, detergents and oils for superior cleaning of stainless steel. Cleans, polishes and protects surface without hard rubbing and without oily residue. Resists fingerprints, grease and water splatter. Contains no acid or abrasives.*



## Where To Use

Dishwashers	Formica	Refrigerators	Windows
Freezers	Ceramic	Elevators	Porcelain
Escalators	Chrome	Doors	Tile

## Directions

Spray on clean cloth and wipe off. Use sparingly.

## Technical Specifications

CAN SIZE: .. 20 oz.	NET WEIGHT: ..... 15 oz.
ODOR: ..... Lemon	USDA RATING: .... C1
TYPE: ..... Aerosol	PROPELLANT: ..... Hydrocarbon
pH: ..... N/A	SPRAY PATTERN: Wet, Hollow Cone
COLOR: ..... Clear	FLAMMABILITY: Non-Flammable - per CPSC Flame Ext. Test in 16 CFR 1500.45.

Aerosols



201 Boston Turnpike, Bolton, CT 06043-7203 800-227-5536 • 860-646-0172 • FAX 860-645-6070  
232

[www.simonizusa.com](http://www.simonizusa.com)

# Tropic Breeze (dry air & fabric deodorizer) S3348

*A truly extraordinary concept in aerosol technology. This air freshener is specially formulated to eliminate offensive odors in the air without wet fallout. As a dry product, it can be used safely on surfaces to fight odors trapped in all kinds of fabrics without staining. The*



*spray mist particles penetrate fabrics, reach trapped odors and eliminate them. Will not leave a residue or stain the fabric. Neutralize stale tobacco odors in the air or fabrics and leave behind a tropic breeze.*

## Where To Use

Formulated to eliminate offensive odors in:

Offices	Hotel Rooms	Garbage Areas	Cars
Schools	Restrooms	Draperies	Carpets
Fabrics	Upholstery		

## Directions

Just spray on.

## Technical Specifications

CAN SIZE: .. 20 oz.	NET WEIGHT: ..... 10 oz.
ODOR: ..... Tropic Breeze	USDA RATING: .... C1
TYPE: ..... Aerosol	PROPELLANT: ..... Hydrocarbon
pH: ..... N/A	SPRAY PATTERN: Fine Mist Spray
COLOR: ..... Clear	FLAMMABILITY: Non-Flammable - per CPSC Flame Ext. Test in 16 CFR 1500.45.



# Vanilla Air Freshener & Deodorizer

S3362

*This V.O.C. compliant air freshener attacks airborne odors instantly. It also fights odors trapped in fabrics such as carpeting, upholstery and draperies. It maintains a fresh smell throughout the room. Removes odors caused by cigars, pets, garbage, etc.*



## Where To Use

Hotels	Restaurants	Detail Shops
Motels	Schools	Car Washes
Offices	Basements	Institutions

## Directions

To deodorize in the air, spray upward in a wide sweeping motion to minimize fallout. Use whenever odors occur and as often as needed to maintain freshness.

## Technical Specifications

..... CAN SIZE:	20 oz. ....NET WEIGHT:	N/A	
ODOR: .....	Vanilla	USDA RATING: .....	N/A
TYPE: .....	Aerosol	PROPELLANT: .....	Hydrocarbon
pH: .....	N/A	SPRAY PATTERN: ...	"Spray-Thru Cap"
COLOR: .....	N/A	FLAMMABILITY: ...	Non-Flammable-per CPSC Flame Ext. Test in 16 CFR 1500.45.

Aerosols



201 Boston Turnpike, Bolton, CT 06043-7203 800-227-5536 • 860-646-0172 • FAX 860-645-6070  
234

[www.simonizusa.com](http://www.simonizusa.com)

# White Lithium Grease

S3382

*This highly concentrated, heavy duty spray grease lubricant leaves a long lasting film and has excellent resistance to heat. Especially useful in the marine, automotive, glass and mirror, hardware and industrial maintenance trades and industries. Great for anything that squeaks, sticks or rusts. Will not wash away, run off or dry out.*



## Where To Use

Specifically designed for lubricating where metal meets metal in such applications as:

Cams & Slides	Chains & Couplings	Windows & Garage Doors
Fork Lift Masts	Office Equipment	Small Open Gears

## Directions

Shake can before use. Attach snorkel tube and spray lightly.

## Technical Specifications

CAN SIZE: .. 16 oz.	NET WEIGHT: ..... 11 oz.
ODOR: ..... Hydrocarbon	USDA RATING: ..... N/A
TYPE: ..... Aerosol	PROPELLANT: ..... Hydrocarbon
pH: ..... N/A	SPRAY PATTERN: ... High volume, thick stream
COLOR: ..... Yellow	FLAMMABILITY: ... Extremely flammable - per CPSC Flame Ext. Test in 16 CFR 1500.45.

